



Test Report/ Certificate of Analysis

Date of Report Mar 27, 2026
To: MHS Longevity
From: AxisPharm, LLC
Certificate ID Number: 27Mar2026-04

Results reported by: Lab Technician
 Ning Yang

Review/Approved by: 
 QA Director
 Dawei Yue


Sample Received: Date: 03/23/2026
 Receiving Condition: Acceptable Other: _____
 Storage Condition: Room temperature -20°C -80°C
 Other: __ 0 °C _____

Method(s): Sample Name: PT-141 10mg; Label mg Claim: 10mg; Brand Name: MHS Longevity; Lot#: 5011; MFD: 03/2026; BBD: 03/2028
 LCMS, LAL Endotoxin Assay, and ICP-MS for trace heavy metal

Procedure(s): Laboratory Activity Date: 3/23/2026-03/27/2026
Results:



Test Report/ Certificate of Analysis



Sample Name	Net Weight Measured	MW (g/mol)	Detected	UV Purity (220nm) (%)
PT-141 10mg	10.2mg	1025.2	1026.6[M+H]	>99.5

Endotoxin Results:

Sample Name	Endotoxin Testing Value (EU/mg)
PT-141 10mg	0.055

ICP-MS

Element	Sym.	DL (ppm)	ppm
Antimony	Sb	0.15	<0.15
Arsenic	As	0.15	<0.15
Cadmium	Cad	0.15	<0.15
Cobalt	Co	0.15	<0.15
Copper	Cu	0.15	<0.15
Lead	Pb	0.15	<0.15
Mercury	Mg	0.15	<0.15
Nickel	Ni	0.15	<0.15
Vanadium	V	0.15	<0.15

Preservatives, salts and sugars that serves as fillers in injectables are not considered as impurities. Conclusion: The product comes with PT-141 10.2mg with purity >99.5%.